

---

Dr. Eric M. RouillerLIST OF PUBLICATIONS**I. Full Length Research Papers (peer-reviewed contributions)**

1. **Rouiller, E.**, Y. de Ribaupierre and F. de Ribaupierre (1979) Phase-locked responses to low-frequency tones in the medial geniculate body. *Hearing Res.* *1*, 213-226.
2. De Ribaupierre, F., *E. Rouiller*, A. Toros and Y. de Ribaupierre (1980) Transmission delay of phase-locked cells in the medial geniculate body. *Hearing Res.* *3*, 65-77.
3. **Rouiller, E.**, Y. de Ribaupierre, A. Toros-Morel and F. de Ribaupierre (1981) Neural coding of repetitive clicks in the medial geniculate body of cat. *Hearing Res.* *5*, 81-100.
4. De Ribaupierre, F. and **E. Rouiller** (1981) Temporal coding of repetitive clicks: presence of rate selective units in the cat's medial geniculate body (MGB). *J. Physiol. (London)* *318*, 23-24.
5. **Rouiller, E.** and F. de Ribaupierre (1982) Neurons sensitive to narrow ranges of repetitive acoustic transients in the medial geniculate body of the cat. *Exp. Brain Res.* *48*, 323-326.
6. **Rouiller, E.**, Y. de Ribaupierre, A. Morel and F. de Ribaupierre (1983) Intensity functions of single unit responses to tone in the medial geniculate body of cat. *Hearing Res.* *11*, 235-247.
7. **Rouiller, E.M.** and D.K. Ryugo (1984) Intracellular marking of physiologically characterized cells in the ventral cochlear nucleus of the cat. *J. Comp. Neurol.* *225*, 167-186.
8. Fekete, D.M., *E.M. Rouiller*, M.C. Liberman and D.K. Ryugo (1984) The central projections of intracellularly labeled auditory nerve fibers in cats. *J. Comp. Neurol.* *229*, 432-450.
9. **Rouiller, E.M.**, E. Colomb, M. Capt and F. de Ribaupierre (1985) Projections of the reticular complex of the thalamus onto physiologically characterized regions of the medial geniculate body. *Neurosci. Letters.* *53*, 227-232.
10. **Rouiller, E.M.** and F. de Ribaupierre (1985) Origin of afferents to physiologically defined regions of the medial geniculate body of the cat: ventral and dorsal divisions. *Hearing Res.* *19*, 97-114.
11. **Rouiller, E.M.**, R. Cronin-Schreiber, D.M. Fekete and D.K. Ryugo (1986) The central projection of intracellularly labeled auditory nerve fibers in cats: an analysis of terminal morphology. *J. Comp. Neurol.* *249*, 261-278.

- 
12. **Rouiller, E.M.**, M. Capt, M. Dolivo and F. de Ribaupierre (1986) Tensor tymani reflex pathways studied with retrograde horseradish peroxidase and transneuronal viral tracing techniques. *Neurosci. Letters*. 72, 247-252.
  13. Morel, A., *E. Rouiller*, Y. de Ribaupierre and F. de Ribaupierre (1987) Tonotopic organization in the medial geniculate body (MGB) of lightly anesthetized cats. *Exp. Brain Res.* 69, 24-42.
  14. Ryugo, D.K. and **E.M. Rouiller** (1988) Central projections of intracellularly labeled auditory nerve fibers in cats: morphometric correlations with physiological properties. *J. Comp. Neurol.* 271, 130-142.
  15. **Rouiller, E.M.**, M. Capt, M. Dolivo and F. de Ribaupierre (1989) Neuronal organization of the stapedius reflex pathways in the rat: a retrograde HRP and viral transneuronal tracing study. *Brain Res.* 476, 21-28.
  16. **Rouiller, E.M.** and F. de Ribaupierre (1989) Note on the tonotopic organization in the cat medial geniculate body: influence of sampling of units. *Exp. Brain Res.* 74, 220-226.
  17. Rodrigues-Dagaeff, C., G. Simm, Y. de Ribaupierre, A. Villa, F. de Ribaupierre and **E.M. Rouiller** (1989) Functional organization of the ventral division of the medial geniculate body of the cat: evidences for a rostro-caudal gradient of response properties and cortical projections. *Hearing Res.* 39, 103-126.
  18. **Rouiller, E.M.**, C. Rodrigues-Dagaeff, G. Simm, Y. de Ribaupierre, A. Villa and F. de Ribaupierre (1989) Functional organization of the medial division of the medial geniculate body of cat: tonotopic organization, spatial distribution of response properties and cortical connections. *Hearing Res.* 39, 127-142.
  19. **Rouiller, E.M.**, J.P. Hornung and F. de Ribaupierre (1989) Extrathalamic projections to physiologically identified fields of the cat auditory cortex. *Hearing Res.* 40, 233-246.
  20. **Rouiller, E.M.**, M. Capt, J.P. Hornung and P. Streit (1990) Correlation between regional changes in the distributions of GABA-containing neurons and unit response properties in the medial geniculate body of the cat, *Hearing Res.* 49, 249-258.
  21. **Rouiller, E.M.** and F. de Ribaupierre (1990) Arborization of corticothalamic axons in the auditory thalamus of the cat: a PHA-L tracing study, *Neurosci. Letters* 108, 29-35.
  22. **Rouiller, E.M.**, G.M. Innocenti and F. de Ribaupierre (1990) Interconnections of the auditory cortical fields of the cat with the cingulate and parahippocampal cortices, *Exp. Brain Res.* 80, 501-511.
  23. Simm, G.M., F. de Ribaupierre, Y. de Ribaupierre and **E.M. Rouiller** (1990) Discharge properties of single units in auditory part of reticular nucleus of thalamus in cat. *J. Neurophysiol.* 63, 1010-1021.
  24. **Rouiller, E.M.**, F. Liang, V. Moret and M. Wiesendanger (1991) Patterns of corticothalamic terminations following injection of Phaseolus vulgaris leucoagglutinin (PHA-L) in the sensorimotor cortex of the rat. *Neurosci. Letters* 125, 93-97.

25. **Rouiller, E.M.**, F. Liang, V. Moret and M. Wiesendanger (1991) Trajectory of redirected corticospinal axons after unilateral lesion of the sensorimotor cortex in neonatal rat; a phaseolus vulgaris-leucoagglutinin (PHA-L) tracing study. *Exp. Neurology* 114, 53-65.
26. Liang, F., V. Moret, M. Wiesendanger and **E.M. Rouiller** (1991) Corticomotoneuronal connections in the rat: evidence from double-labeling of motoneurons and corticospinal axon arborizations. *J. Comp. Neurology* 311, 356-366.
27. Villa, A.E.P., *E.M. Rouiller*, G.M. Simm, P. Zurita, Y. de Ribaupierre and F. de Ribaupierre (1991) Corticofugal modulation of the information processing in the auditory thalamus of the cat. *Exp. Brain Res.* 86, 506-517.
28. **Rouiller, E.M.**, G.M. Simm, A.E.P. Villa, Y. de Ribaupierre and F. de Ribaupierre (1991) Auditory corticocortical interconnections in the cat: evidence for parallel and hierarchical arrangement of the auditory cortical areas. *Exp. Brain Res.* 86, 483-505.
29. M. Wiesendanger, M. Corboz, B. Hyland, A. Palmeri, V. Maier, U. Wicki and **E. Rouiller** (1992) Bimanual synergies in Primates. In: Caminiti R., Johnson P.B. and Burnod Y. (eds) Control of arm movement in space. *Exp. Brain Res. series 22*, Springer Verlag, Berlin, pp. 45-64.
30. **Rouiller, E.M.** and E. Welker (1991) Morphology of corticothalamic terminals arising from the auditory cortex of the rat; a phaseolus vulgaris-leucoagglutinin (PHA-L) tracing study. *Hearing Res.* 56, 179-190.
31. Wan, X.S.T., F. Liang, V. Moret, M. Wiesendanger and **E.M. Rouiller** (1992) Mapping of the motor pathways in rats: c-fos induction by intracortical microstimulation of the motor cortex correlated with efferent connectivity of the site of cortical stimulation. *Neuroscience* 49, 749-761.
32. **Rouiller, E.M.**, X.S.T. Wan, V. Moret and F. Liang (1992) Mapping of c-fos expression elicited by pure tones stimulation in the auditory pathways of the rat, with emphasis on the cochlear nucleus. *Neuroscience Letters* 144, 19-24.
33. Liang, F., *Rouiller, E.M.* and M. Wiesendanger (1993) Modulation of sustained electromyographic activity by single intracortical microstimuli: comparison of two forelimb motor cortical areas of the rat. *Somatosensory and Motor Research* 10, 51-61.
34. **Rouiller, E.M.**, V. Moret and F. Liang (1993) Comparison of the connectional properties of the two forelimb areas of the rat sensorimotor cortex: support for the presence of a premotor or supplementary motor cortical area. *Somatosensory and Motor Research* 10, 269-289.
35. Bajo, V., M. Merchan, D. Lopez and **E.M. Rouiller** (1993) Neuronal morphology and efferent projections of the dorsal nucleus of the lateral lemniscus of the rat. *J. Comp. Neurol.* 334, 241-262.

- 
- 36 Babalian, A., F. Liang and **E.M. Rouiller** (1993) Cortical influences on cervical motoneurons in the rat: recordings of synaptic responses from motoneurons and compound action potential from corticospinal axons. *Neurosci. Res.* 16, 301-310.
37. Clarke, S., F. de Ribaupierre, *E.M. Rouiller* and Y. de Ribaupierre (1993) Several neuronal and axonal types form long intrinsic connections in the cat primary auditory cortical field (AI). *Anat. and Embryol.* 188, 117-138.
38. Vischer, M., R. Häusler and **E.M. Rouiller** (1994) Distribution of c-fos expression in the auditory pathways of the rat elicited by cochlear electrical stimulation. *Neurosci. Res.* 19, 175-185.
39. **Rouiller, E.M.**, F. Liang, A. Babalian, V. Moret and M. Wiesendanger (1994) Cerebello-thalamo-cortical and pallido-thalamo-cortical projections to the primary (M1) and supplementary (SMA) motor cortical areas: a multiple tracing study in macaque monkeys. *J. Comp. Neurol.* 345, 185-213.
40. Kazennikov, O., U. Wicki, M. Corboz, B. Hyland, A. Palmeri, *E.M. Rouiller* and M. Wiesendanger (1994) Temporal and spatial structure of a bimanual goal-directed movement sequence in monkeys. *Europ. J. Neurosci.* 6, 203-210.
41. Zurita, P., A.E.P. Villa, Y. de Ribaupierre, F. de Ribaupierre and **E.M. Rouiller** (1994) Changes of single unit activities in the cat's auditory thalamus and cortex associated to different anesthetic conditions. *Neurosci. Res.* 19, 303-316.
42. **Rouiller, E.M.**, A. Babalian, O. Kazennikov, V. Moret, X.H. Yu and M. Wiesendanger (1994) Transcallosal connections of the distal forelimb representations of the primary and supplementary motor cortical areas in macaque monkeys. *Exp. Brain Res.* 102, 227-243.
43. Yu, X.H., V. Moret and **E.M. Rouiller** (1995) Re-examination of the plasticity of the corticothalamic projection after unilateral neonatal lesion of the sensorimotor cortex in the rat; a phaseolus vulgaris-leucoagglutinin tracing study. *J. für Hirnforschung* 36, 123-133.
44. Bajo, V.M., *E.M. Rouiller*, E. Welker, S. Clarke, A.E.P. Villa, Y. de Ribaupierre and F. de Ribaupierre (1995) Morphology and spatial distribution of corticothalamic terminals originating from the cat auditory cortex. *Hearing Res.* 83, 161-174.
45. Clarke, S., F. de Ribaupierre, V.M. Bajo, *E.M. Rouiller* and R. Kraftsik (1995) The auditory pathway in cat corpus callosum. *Exp. Brain Res.* 104, 534-540.
46. Zhang, J.S., A. Haenggeli, A. Tempini, M. Vischer, V. Moret and **E.M. Rouiller** (1996) Electrically induced Fos-like immunoreactivity (FLI) in the auditory pathway of the rats: effects of survival time, duration and intensity of stimulation. *Brain Res. Bull.* 39, 75-82.
47. Vischer, M., V. Bajo-Lorenzana, J.S. Zhang, R. Häusler and **E.M. Rouiller** (1995) Activity elicited in the auditory pathway of the rat by electrical stimulation of the cochlea. *ORL* 57, 305-309.

- 
48. Tanné, J., D. Boussaoud, N. Boyer-Zeller and **E.M. Rouiller** (1996) Direct visual pathways for reaching movements: an anatomical and physiological study in macaque monkey. *Neuroreport* 7, 267-272.
49. **Rouiller, E.M.**, V. Moret, J. Tanné and D. Boussaoud (1996) Does the hand representation of the supplementary motor cortical area make direct contacts with cervical motoneurons ? *Europ. J. Neurosci.* 8, 1055-1059.
50. Vischer, M., V. Bajo, J.S. Zhang, E. Calciati, C.A. Haenggeli and **E.M. Rouiller** (1997) Comparison of single unit activity in the inferior colliculus of the rat elicited by acoustic and electric stimulation of the cochlea. *Audiology* 36, 202-227.
51. **E.M. Rouiller** (1997) Functional organization of the auditory pathways. In: *The central auditory system*, Eds. G. Ehret and R. Romand, Oxford University Press, pp. 3-65.
52. Vischer, M., A. Haenggeli, J. Zhang, M. Pelizzzone, R. Häusler and **E.M. Rouiller** (1997) Effect of high-frequency electrical stimulation of the auditory nerve in an animal model of cochlear implants. *The Amer. J. of Otol.* 18, S27-S29.
53. Kermadi, I., Liu, Y., Tempini, A. and **E.M. Rouiller** (1997) Effects of reversible inactivation of the supplementary motor area (SMA) on unimanual grasp and bimanual pull and grasp performance in monkeys. *Somatosens. and Motor Res.* 14, 268-280.
54. **Rouiller, E.M.**, Yu, X.Y., Moret, V., Tempini, A., Wiesendanger, M., and F. Liang (1998) Dexterity in adult monkeys following early lesion of the motor cortical hand area: the role of the cortex adjacent to the lesion. *Europ. J. Neurosci.* 10, 729-740.
55. **Rouiller, E.M.**, Tanné, J., Moret, V., Kermadi, I., Boussaoud, D., and E. Welker (1998) Dual morphology and topography of the corticothalamic terminals originating from the primary, supplementary motor and dorsal premotor cortical areas in macaque monkeys. *J. Comp. Neurol.* 396, 169-185.
56. Zhang, J.S., Vischer, M.V., Moret, V., Roulin, C. and **E.M. Rouiller** (1998) Antibody-dependent Fos-like immunoreactivity (FLI) in the auditory pathway of the rat in response to electric stimulation of the cochlea. *J. of Brain Res.* 39, 21-35.
57. Haenggeli, A., Zhang, J., Vischer, M., Pelizzzone, M., and **E.M. Rouiller** (1998) Electrically evoked compound action potential (ECAP) of the auditory nerve in response to pulsatile electrical stimulation of the cochlea in the rat: effects of stimulation at high rates. *Audiology* 37, 353-371.
58. Kazennikov, O., Hyland, B., Wicki, U., Perrig, S., *Rouiller, E.M.* and M. Wiesendanger (1998) Effects of lesions in the mesial frontal cortex on bimanual coordination in monkeys. *Neuroscience* 85, 703-716.
59. Bajo, V.M., A.E.P. Villa, F. de Ribaupierre and **E.M. Rouiller** (1998) Discharge properties of single neurons in the dorsal nucleus of the lateral lemniscus (DNLL) of the rat. *Brain Res. Bull.* 47, 595-610.

- 
60. Kermadi, I., Y. Liu, A. Tempini, E. Calciati and **E.M. Rouiller** (1998) Neuronal activity in the primate supplementary motor area and the primary motor cortex in relation to spatio-temporal bimanual coordination. *Somatosens. and Motor Res.* 15: 287-308.
61. Carretta, D., A. Hervé-Minvielle, V. Bajo, A.E.P. Villa and **E.M. Rouiller** (1999) Preferential induction of Fos-like immunoreactivity (FLI) in granule cells of the cochlear nucleus by acoustic stimulation in behaving rats. *Neurosci. Lett.* 259: 123-126.
62. Kazennikov, O., Hyland, B., Corboz, M., Babalian, A., *Rouiller, E.M.* and M. Wiesendanger (1999) Neural activity of supplementary and primary motor areas in monkeys and its relation to bimanual and unimanual movement sequences. *Neuroscience* 89, 661-674.
63. **Rouiller, E.M.**, J. Tanné, V. Moret and D. Boussaoud (1999) Origin of thalamic inputs to the primary, premotor and supplementary motor cortical areas and to area 46 in macaque monkeys: a multiple retrograde tracing study. *J. Comp. Neurol.* 409, 131-152.
64. Babalian, A.L., D.K. Ryugo, M.W. Vischer and **E.M. Rouiller** (1999) Inhibitory synaptic interactions between cochlear nuclei: evidence from an *in vitro* whole brain study. *Neuroreport* 10, 1913-1917.
65. Liu, Y. and **E.M. Rouiller** (1999) Mechanisms of recovery of dexterity following unilateral lesion of the sensorimotor cortex in adult monkeys. *Exp. Brain Res.* 128, 149-159.
66. Carretta, D., A. Hervé-Minvielle, V. Bajo, A.E.P. Villa and **E.M. Rouiller** (1999) c-Fos expression in the auditory pathways related to the significance of acoustic signals in rats performing a sensory-motor task. *Brain Res.* 841, 170-183.
67. Kermadi, I., Y. Liu and **E.M. Rouiller** (2000) Do bimanual motor actions involve the dorsal premotor (PMd), cingulate (CMA) and posterior parietal (PPC) cortices? Comparison with primary and supplementary motor cortical areas. *Somatosens. and Motor Res.* 17, 255-271.
68. **Rouiller, E.M.** and E. Welker (2000) A comparative analysis of the morphology of corticothalamic projections in mammals. *Brain Res. Bull.* 53, 727-741.
69. Liu, J., A. Morel, T. Wannier and **E.M. Rouiller** (2002) Origins of callosal projection to the supplementary motor area (SMA): a direct comparison between pre-SMA and SMA-proper in macaque monkeys. *J. Comp. Neurol.* 443, 71-85.
70. Wannier, T., J. Liu, A. Morel, C. Jouffrais and **E.M. Rouiller** (2002) Neuronal activity in primate striatum and pallidum related to bimanual motor actions. *Neuroreport* 13, 143-147.
71. Loquet, G. and **E.M. Rouiller** (2002) Neural adaptation to pulsatile acoustical stimulation in the cochlear nucleus of the rat. *Hearing Res.* 171, 72-81.
72. Babalian, A., A.V. Jacomme, J.R. Doucet, D.K. Ryugo and **E.M. Rouiller** (2002) Bushy and stellate cells of the anteroventral cochlear nucleus are under inhibitory glycinergic influence from the contralateral cochlear nucleus. *Neuroreport* 13, 555-558.

- 
73. Tanné, J., *E.M. Rouiller* and D. Boussaoud (2002) Parietal Inputs to Dorsal *versus* Ventral Premotor Areas in the Macaque monkey: Evidence for largely Segregated Visuomotor Pathways. *Exp. Brain Res.* 145, 91-103.
74. Tanné-Gariépy, J., D. Boussaoud and **E.M. Rouiller** (2002) Projections of the claustrum to the primary motor, premotor and prefrontal cortices in the macaque monkey. *J. Comp. Neurol.* 454, 140-157.
75. Vandermeeren, Y., E. Bastings, D. Good, *E. Rouiller* and E. Olivier (2003) Plasticité des aires motrices corticales: progrès récents et perspectives thérapeutiques. *Rev. Neurol.* 159, 259-275.
76. Loquet G., Meyer K. and **E.M. Rouiller** (2003) Effects of intensity of repetitive acoustic stimuli on neural adaptation in the ventral cochlear nucleus of the rat. *Exp. Brain Res.* 153, 436-442.
77. **Rouiller E.M.**, Wannier T. and A. Morel (2003) The dual pattern of corticothalamic projection of the premotor cortex in macaque monkeys. *Thalamus and Related Structures* 2 (3): 189-197.
78. Jacomme A.V., Nodal F.R., Bajo V.M., Manunta Y., Edeline J.M., Babalian A., and **Rouiller E.M.** (2003) The Projection from auditory cortex to cochlear nucleus in guinea pigs: an *in vivo* anatomical and *in vitro* electrophysiological study. *Exp. Brain Res.* 153, 467-476.
79. Durif C., Jouffrais C. and **Rouiller E.M.** (2003) Single unit responses in the auditory cortex of monkeys performing a conditional acoustico-motor task. *Exp. Brain Res.* 153, 614-627.
80. Babalian A., Ryugo D.K. and **Rouiller E.M.** (2003) Discharge properties of identified cochlear nucleus neurons and auditory nerve fibers in response to repetitive electrical stimulation of the auditory nerve. *Exp. Brain Res.* 153, 452-460.
81. **Rouiller E.M.** and E. Olivier (2004) Functional recovery after lesions of the primary motor cortex. *Progress in Brain Research*, Volume 143, pp. 467- 475.
82. Loquet G., Pelizzzone M., Valentini G., **Rouiller E.M.** (2004) Matching the neural adaptation in the rat ventral cochlear nucleus produced by artificial (electric) and acoustic stimulation of the cochlea. *Audiology & Neuro-Otology* 9, 144-159.
83. **Rouiller E.M.**, Durif C. (2004) The dual pattern of corticothalamic projection of the primary auditory cortex in macaque monkey. *Neurosci. Letters* 358: 49-52.
84. Schmidlin E., Wannier T., Bloch J. and **Rouiller E.M.** (2004) Progressive plastic changes in the hand representation of the primary motor cortex parallels incomplete recovery from a unilateral section of the corticospinal tract at cervical level in monkeys. *Brain Res.* 1017: 172-183.

- 
85. Wannier T., Schmidlin E., Bloch J. and **Rouiller E.M.** (2005) A unilateral section of the corticospinal tract at cervical level in primate does not lead to measurable cell loss in motor cortex. *J. Neurotrauma* 22, 703-717.
86. Morel A., Liu J., Wannier T., Jeanmonod D. and **Rouiller E.M.** (2005) Divergence and convergence of thalamocortical projections to premotor and supplementary motor cortex: a multiple tracing study in macaque monkey. *Euro. J. Neurosci.* 21 1007-1029.
87. Schmidlin E., Wannier T., Bloch J., Belhaj-Saif A., Wyss A. and **Rouiller E.M.** (2005) Reduction of the hand representation in the ipsilateral primary motor cortex following unilateral section of the corticospinal tract at cervical level in monkeys. *BMC Neuroscience* 2005, 6: 56.
88. Spicher C.J., Hecker E., Thommen E. and **Rouiller E.M.** (2005) La place du test de discrimination de 2 points statiques dans l'examen clinique. *Doul. et Analg.* 2, 73-78.
89. Brunet J.F., *Rouiller E.M.*, Wannier T., Villemure J.G. and Bloch J. (2005) Primate adult brain cell autotransplantation, a new tool for brain repair? *Exp. Neurol.* 196: 195-198.
90. Boussaoud D., Tanné-Gariépy J., Wannier T. and **Rouiller E.M.** (2005) Callosal connections of dorsal versus ventral premotor areas in the macaque monkey: a multiple retrograde tracing study. *BMC Neuroscience* 6: 67.
91. Weinmann O., Schnell L., Gosh A., Montani L., Wiessner Ch., Wannier T., *Rouiller E.M.*, Mir A. and Schwab M.E. (2006) Intrathecally infused antibodies against Nogo-A penetrate the CNS and downregulate the endogenous neurite growth inhibitor Nogo-A. *Mol. and Cell. Neurosci.* 32: 161-173.
92. Freund P.<sup>+</sup>, Schmidlin E.<sup>+</sup>, Wannier T.<sup>+</sup>, Bloch J., Mir A., Schwab M.E. and **Rouiller E.M.** (2006) Anti-Nogo-A treatment enhances corticospinal tract sprouting and functional recovery after unilateral cervical lesion in adult primates. *Nat. Med.* 12 (7): 790-792.  
\* Equal first authorship
93. Freund P.<sup>+</sup>, Wannier T.<sup>+</sup>, Schmidlin E.<sup>+</sup>, Bloch J., Mir A., Schwab M.E. and **Rouiller E.M.** (2007) Anti-Nogo-A antibody treatment enhances sprouting of corticospinal (CS) axons rostral to an unilateral cervical cord lesion in adult macaque monkeys. *J. Comp. Neurol.*, 502: 644-659.  
\* Equal first authorship
94. Meyer K., *Rouiller E.M.* and Loquet G. (2007) Direct comparison between properties of adaptation of the auditory nerve and the ventral cochlear nucleus in response to repetitive clicks. *Hearing Research* 228: 144-155.
95. Cappe C., Morel A. and **Rouiller E.M.** (2007) Thalamocortical and the dual pattern of corticothalamic projections of the posterior parietal cortex in macaque monkeys. *Neuroscience* 146: 1371-1387.
96. Büchli A.D., *Rouiller E.M.*, Mueller R., Dietz V. and Schwab M.E. (2007) Repair of the injured spinal cord. *Neurodegenerative Diseases* 4, 51-56.

97. Courtine G., Bunge M.B., Fawcett J.W., Grossman R.G., Kaas J.H., Lemon R., Maier I., Martin J.H., Nudo R.J., Ramon-Cueto A., **Rouiller E.M.**, Schnell L., Wannier T., Schwab M.E. and Edgerton V.R. (2007) Can experiments in nonhuman primates expedite the translation of treatments for spinal cord injury in humans? *Nat. Med.* 13(5): 561-566.
98. Wannier-Morino P. <sup>+</sup>, Schmidlin E. <sup>+</sup>, Freund P., Belhaj-Saif A., Bloch J., Mir A., Schwab M.E., **Rouiller E.M.** and Wannier T. (2008) Fate of rubrospinal neurons after unilateral section of the cervical spinal cord in adult macaque monkeys: effects of an antibody treatment neutralizing Nogo-A. *Brain Res.* 1217: 96-109.  
<sup>+</sup> Equal first authorship
99. Spicher C.J., Mathis F., Degrange B., Freund P. and **Rouiller E.M.** (2008) Static Mechanical Allodynia (SMA) is a Paradoxical Painful Hypoaesthesia: Observations derived from neuropathic pain patients treated with somatosensory rehabilitation. *Somat. Mot. Res.* 25: 77-92.
100. Beaud M.L.\*, Schmidlin, E.\*., Wannier T.\*., Freund, P., Bloch J., Mir A., Schwab M.E. and **Rouiller E.M.** (2008) Anti-Nogo-A antibody treatment does not prevent cell body shrinkage in the motor cortex in adult monkeys subjected to unilateral cervical cord lesion. *BMC Neuroscience* 9: 5.  
\* Equal first authorship
101. Spicher C.J., Ribordy F., Mathis F., Desfoux N., Schönenweid F. and **Rouiller E.M.** (2008) L'allodynie mécanique masque une hypoesthésie: observations topographiques de 23 patients douloureux neuropathiques chroniques. *Douleur et Analgésie* 21: 239-251.
102. Cappe C., Morel A., Barone C. and **Rouiller E.M.** (2009) The thalamocortical projection systems in primate: an anatomical support for multisensory and sensorimotor interplay. *Cerebral Cortex* 19: 2025-2037.
103. Freund, P.\*., Schmidlin, E.\*., Wannier T.\*., Bloch J., Mir A., Schwab M.E. and **Rouiller E.M.** (2009) Anti-Nogo-A antibody treatment promotes recovery of manual dexterity after unilateral cervical lesion in adult primates: re-examination and extension of behavioral data. *Europ. J. Neurosci.* 29: 983-996.
104. Cappe, C., **Rouiller E.M.** and Barone P. (2009) Multisensory anatomical pathways. *Hearing Res.* 258: 28-36.
105. Schmidlin E.\*., Jouffrais C.\*., Freund P., Wannier P., Beaud M.-L., **Rouiller E.M.** and Wannier T. (2009) A case of polymicrogyria in macaque monkey: impact on anatomy and function of the motor system. *BMC Neuroscience* 10: 155.
106. Cappe C., Murray M.M., Barone P. and **Rouiller E.M.** (2010) Multisensory facilitation of behavior in monkeys: effects of stimulus intensity. *J. Cogn. Neurosci.* 22: 2850-2863.
107. Kaeser M., Wyss A.F., Bashir S., Hamadjida A., Liu Y., Bloch J., Brunet J.F., Belhaj-Saif A., **Rouiller E.M.** (2010) Effects of unilateral motor cortex lesion on ipsilesional hand's reach and grasp performances in monkeys: relationship with recovery in the contralateral hand. *J. Neurophysiol.* 103: 1630-1645.



- 118 Chatagny P.\*, Badoud S.\*, Kaeser M., Gindrat A.D., Savidan J., Fregosi M., Moret V., Roulin C., Schmidlin E., **Rouiller E.M.** (2013). Distinction between hand dominance and hand preference in primates: a behavioral investigation of manual dexterity in nonhuman primates (macaques) and human subjects. *Brain and Behavior* 3 (5): 575-595.  
\* Equal first authorship
- 119 Hoogewoud F.\*, Hamadjida A.\*, Wyss A.F., Mir A., Schwab M.E., Belhaj-Saif A., **Rouiller E.M.** (2013). Comparison of functional recovery of manual dexterity after unilateral spinal cord lesion or motor cortex lesion in adult macaque monkeys. *Front. Neurol.* 2013, 4: 101. doi: 10.3389/fneur.2013.00101  
\* Equal first authorship
- 120 Lanz F., Lanz X., Scherly A., Moret V., Gaillard A., Gruner P., Hoogewoud H.M., Belhaj-Saif A., Loquet G., **Rouiller E.M.** (2013) Refined methodology for implantation of a head fixation device and chronic recording chambers in non-human primates. *J. Neurosci. Meth.* 219: 262-270.
- 121 Wyss A.F.\*, Hamadjida A.\*, Savidan J.\*, Liu Y., Bashir S., Mir A., Schwab M.E., **Rouiller E.M.**&, Belhaj-Saif A.& (2013) Long-term motor cortical map changes following unilateral lesion of the hand representation in the motor cortex in macaque monkeys showing functional recovery of hand functions. *Rest. Neurol. and Neurosci.* 31: 733-760.  
\* Equal first authorship  
& Equal senior authorship
- 122 Lanz F., Moret V., **Rouiller E.M.**&, Loquet G&. (2013). Multisensory integration in non-human primates during a sensory-motor task. *Frontiers in Human Neurosciences* Nov 20;7: 799.  
\* Equal senior authorship
- 123 Gindrat A.D.\*, Quairiaux C.\*, Britz J., Brunet D., Lanz F., Michel C.M.& and **Rouiller E.M.**& (2014) Whole-scalp EEG mapping of somatosensory evoked potentials in macaque monkeys. *Brain Structure and Function* 220: 2121-2142.  
\* Equal first authorship  
& Equal senior authorship
- 124 Kaeser M.\*, Chatagny P.\*, Gindrat A.D., Savidan J., Badoud S., Fregosi M., Moret V., Roulin C., Schmidlin E.& and **Rouiller E.M.**& (2014) Variability of manual dexterity performance in non-human primates (*Macaca fascicularis*). *International Journal of Comparative Psychology* 27 (2): 295-325.  
\* Equal first authorship  
& Equal senior authorship
- 125 Gindrat A.D.\*, Chytiris M.\*, Balerna M.\*, **Rouiller E.M.** and Ghosh A. (2015) Use dependent cortical processing from fingertips in touchscreen phone users. *Current Biology* 25: 1-8.  
\* Equal first authorship
- 126 Gindrat A.D.\*, Chytiris M.\*, Balerna M.\*, **Rouiller E.M.** and Ghosh A. (2015) L'utilisation de *smartphones* façonne le traitement cortical de l'information sensorielle tactile provenant de l'extrémité des doigts. *Med. Sci. (Paris)* 31: 363-366 (in French).

---

\* Equal first authorship

- 127 Innocenti G.M., Dyrby T.B., Andersen K.W., *Rouiller E.M.*, Caminiti R. (2016) The Crossed Projection to the Striatum in Two Species of Monkey and in Humans: Behavioral and Evolutionary Significance. *Cerebral Cortex* 27: 3217-3230.
- 128 Badoud S.\*, Borgognon S.\*<sup>\*</sup>, Cottet J.\*<sup>\*</sup>, Chatagny P., Moret V., Fregosi M., Kaeser M., Fortis E., Schmidlin E., Bloch J., Brunet J.F., **Rouiller E.M.** (2017) Effects of dorsolateral prefrontal cortex lesion on motor habit and performance assessed with manual grasping and control of force in macaque monkeys. *Brain Struct. Funct.* 222: 1193-1206.  
\* Equal first authorship
- 129 Lanz F., Moret V., Ambett R., Cappe C., *Rouiller E.M.*, Loquet G. (2017) Distant heterotopic callosal connections to premotor cortex in non-human primates. *Neuroscience* 344: 56-66.
- 130 Fregosi M., Contestabile A., Hamadjida A., **Rouiller E.M.** (2017). Corticobulbar projections from distinct motor cortical areas to the reticular formation in macaque monkeys. *Europ. J. Neuroscience* 45: 1379-1395.
- 131 Savidan J., Kaeser M., Belhaij-Saif A., Schmidlin E., **Rouiller E.M.** (2017) Role of primary motor cortex in the control of manual dexterity assessed via a sequential bilateral lesion in the adult macaque monkey: a case study. *Neuroscience* 357: 303-324.
- 132 Fregosi M., **Rouiller E.M.** (2017). Ipsilateral corticotectal projections from the primary, premotor and supplementary motor cortical areas in adult macaque monkeys: a quantitative anterograde tracing study. *Europ. J. Neuroscience* 46: 2406-2415.
- 133 Borgognon S.\*<sup>\*</sup>, Cottet J.\*<sup>\*</sup>, Moret V., Chatagny P., Ginovart N., Antonescu C., Bloch J., Brunet J.F., *Rouiller E.M.*, Badoud S. (2017) Enhancement of striatal dopaminergic function following autologous neural cell ecosystems (ANCE) transplantation in a non-human primate model of Parkinson's Disease. *J. Alzheimers Dis Parkinsonism* 7: 383. Doi: 10.4172/2161-0460.1000383  
\* Equal first authorship
- 134 Innocenti G.M., Caminiti R., *Rouiller E.M.*, Knott G., Dyrby T.B., Descoteaux M., Thiran J.P. (2019) Diversity of cortico-descending projections: Histological and diffusion MRI characterization in the monkey. *Cerebral Cortex* 29: 788-801.
- 135 Barra B., Roux C., Kaeser M., Schiavone G., Lacour S.P., Bloch J., Courtine G., *Rouiller E.M.*, Schmidlin E., Capogrosso M. (2018) Selective Recruitment of Arm Motoneurons in Nonhuman Primates using epidural electrical stimulation of the cervical spinal cord. *Conf. Proc. IEEE Eng. Med. Biol. Soc.* Jul. 2018: 1424-1427; doi: 10.1109/EMBC.2018.8512554.
- 136 Fregosi M., Contestabile A., Badoud S., Borgognon S., Cottet J., Brunet J.F., Bloch J., Schwab M.E., **Rouiller E.M.** (2018) Changes of motor corticobulbar projections following different lesion types affecting the central nervous system in adult macaque monkeys. *Europ. J. Neurosci.* 48: 2050-2070.

- 137 Contestabile A., Colangiulo R., Lucchini M., Gindrat A.D., Hamadjida A., Kaeser M., Savidan J., Wyss A., *Rouiller E.M.*, Schmidlin E. (2018) Asymmetric and distant effects of a unilateral lesion of the primary motor cortex on the bilateral supplementary motor areas in adult macaque monkeys. *J. Neurosci.* 38: 10644-10656.
- 138 Borgognon S.\*, Cottet J.\*<sup>,</sup>, Moret V., Chatagny P., Carrara L., Bloch J., Brunet J.F., *Rouiller E.M.*, Badoud S. (2019) Fine manual dexterity assessment after autologous neural cell ecosystems (ANCE) transplantation in a non-human primate model of Parkinson's disease. *Neurorehab. and Neural Repair* 33 (7): 553-567. DOI: 10.1177/1545968319850133.  
\* Equal first authorship
- 139 Fregosi M., Contestabile A., Badoud S., Borgognon S., Cottet J., Brunet J.F., Bloch J., Schwab M.E., **Rouiller E.M.** (2019) Corticotectal projections from the premotor or primary motor cortex after cortical lesion or Parkinsonian symptoms in adult macaque monkeys: a pilot study. *Frontiers in Neuroanatomy*, Volume 13, Article 50: 1-11. Doi: 10.3389/fnana.2019.00050, p. 1-11.
- 140 Roux C.\*<sup>,</sup>, Kaeser M.\*<sup>,</sup>, Savidan J., Fregosi M., *Rouiller E.M.* and Schmidlin E. (2019) Assessment of the effect of continuous theta burst stimulation of the motor cortex on manual dexterity in non-human primates in a direct comparison with invasive intracortical pharmacological inactivation. *European J. Neurosci.* doi: 10.1111/ejn.14517, p. 1-15.  
\* Equal first authorship
- 141 Beaud M.L., *Rouiller E.M.*, Bloch J., Mir A., Schwab M.E., Schmidlin E. (2019) Combined with anti-Nogo-A antibody treatment, BDNF did not compensate the extra deleterious motor effect caused by large size cervical cord hemi-section in adult macaques. *CNS Neuroscience & Therapeutics*, doi: 10.1111/cns.13213, p. 1-10.

## II. Full Length Research or Review Papers (non-peer-reviewed contributions)

1. **Rouiller, E.**, Y. de Ribaupierre, A. Toros and F. de Ribaupierre (1981) Temporal information in the medial geniculate body. In: J. Syka, and L. Aitkin (eds): *Neuronal mechanisms of hearing*. New York/London: Plenum Press, pp. 251-256.
2. Toros-Morel, A., F. de Ribaupierre and **E. Rouiller** (1981) Coding properties of the different nuclei of the cat's medial geniculate body. In: J. Syka, and L. Aitkin (eds): *Neuronal mechanisms of hearing*. New York/London: Plenum Press, pp. 239-243.
3. **Rouiller, E.M.** (1985) Propriétés fonctionnelles et morphologiques des neurones primaires du système auditif étudiées par enregistrement et marquage intracellulaires combinés. In: *XIXe Symposium ENG*, Genève 1985, Hausler R. (Ed.), IPSEN Publish, Paris.

- 
4. Rodrigues-Dagaeff, C.D., *E.M. Rouiller*, Y.de Ribaupierre, G. Simm, A. Villa and F. de Ribaupierre (1988) Functional organization of the ventral and medial divisions of the medial geniculate body (MGB) of the cat. In: J. Syka and R.B. Masterton (Eds), Auditory pathways: structure and function, Plenum Press, New-York and London.
  5. **Rouiller, E.M.** and D.K. Ryugo (1988) The central projection of intracellularly labeled auditory nerve fibers: morphometric relationships between structural and physiological properties. In: J. Syka and R.B. Masterton (Eds), Auditory pathways: structure and function, Plenum Press, New-York and London.
  6. **Rouiller, E.M.** (1992) Revue des propriétés de réponse des neurones des voies auditives chez le chat, du nerf cochléaire au cortex cérébral: évidences anatomiques et fonctionnelles en faveur d'un traitement de l'information acoustique parallèle et hiérarchique. Journal de Physique, Volume 2, Colloque No 1, Suppl. JP III, no 4, p. 189-196, Les Editions de Physique, F-91944 Les Ulis Cedex A, France.
  7. **Rouiller, E.M.** (1992) Organisation fonctionnelle des voies auditives. Dans: Le système auditif central, anatomie et physiologie. Ed. R. Romand, Série audition, INSERM/SFA, Paris, pp. 1-33.
  8. **E.M. Rouiller** (1996) Multiple hand representations in the motor cortical areas. In: Hand and Brain: Neurophysiology and Psychology of hand movement, Eds P. Haggard, R. Flanagan and A. Wing, Academic Press, pp. 99-124.
  9. Wiesendanger, M., *E.M. Rouiller*, O. Kazennikov and S. Perrig (1996) Is the supplementary motor area a bilaterally organized system ? Advances in Neurology, Vol. 70: Supplementary motor area, ed. H.O. Lüders. Lippincott-Raven Publishers, Philadelphia, pp. 85-93.
  10. **Rouiller, E.M.**, X.H. Yu and A. Tempini (1997) Effect of inactivation of M1 and SMA on precision grip performance in monkeys In: Perspectives of motor Behavior and its Neural Basis. Eds M.C. Hepp-Reymond and G. Marini, Karger (Basel), pp. 34-43.
  11. Wiesendanger, M., O. Kazennikov, S. Perrig, *E.M. Rouiller* and I. Kermadi (1997) Reaching, grasping, and bimanual coordination with special reference to the posterior parietal cortex. In: Parietal lobe contributions to orientation in 3D space. Eds P. Thier and H.O. Karnath, Springer Verlag (Berlin), pp. 271-288.
  12. **Rouiller, E.M.** (1997) Mapping activity in the auditory pathway with c-fos. In: Acoustical signal processing in the central auditory system. Ed. J. Syka, Plenum Press, New-York and London, pp. 33-48.
  13. Herve-Minvielle, A., Carretta, D., Bajo, V.M., Villa A.E.P. and **E.M. Rouiller** (1997) Evolution of c-fos expression in auditory structures during a sensori-motor learning in rats. In: Acoustical signal processing in the central auditory system. Ed. J. Syka, Plenum Press, New-York and London, pp. 49-55.
  14. Zhang, J.S., Vischer, M.W., Haenggeli, C.A. and **E.M. Rouiller** (1997) Responses of the auditory nerve to high rate pulsatile electrical stimulation: comparision between normal

- 
- and deafened rats. In: Acoustical signal processing in the central auditory system. Ed. J. Syka, Plenum Press, New-York and London, pp. 577-583.
15. Wiesendanger, M. and **E.M. Rouiller** (1998) Mechanisms of functional recovery following motor cortical lesions. In: eds E.V. Stälberg, A.W. De Weerd and J. Zidar, 9th European Congress of Clinical Neurophysiology, Ljubljana, Slovenia, 3-7 June 1998, Monduzzi Editore SpA Bologna (Italia), pp. 343-348.
16. **Rouiller, E.M.** (1998) Rôle des différents relais des voies auditives centrales dans le traitement de l'information acoustique. Rencontre IPSEN en ORL (Paris, 1997), Tome 2, Editions Irwinn, eds Y. Christen, L. Collet, M.T. Droy-Lefaix, pp. 53-70.
17. **Rouiller E.M.**, Wannier T., Schmidlin E. and Liu Y (2006) Reprogramming the motor cortex for functional recovery after neonatal or adult unilateral lesion of the corticospinal system in the macaque monkey. In: Reprogramming the Cerebral Cortex, Plasticity Following Central and Peripheral Lesions, Eds., Lomber S. and Eggermont J., Oxford University Press, Oxford, New-York, pp. 309-324.
- 18 Ojima H., **Rouiller E.M.** (2011) Auditory cortical projections to the medial geniculate body. In: The Auditory Cortex, chapter 8, Eds J.A. Winer and C.E. Schreiner, Springer New-York, Science+Business Media, LCC 2011, pp. 171-188.
- 19 **Rouiller E.M.** (2012) What can we learn from animal models? In: Routledge Handbook of motor control and motor learning, eds. A. Gollhofer, W. Taube and J.B. Nielsen, Publisher Routledge, Taylor and Francis, London and New-York, pp. 29-49.